



Slika	Naziv i opis proizvoda	cijena (EUR)			
FXS gateway uređaji					
	<p>Welltech ATA-171 plus</p> <ul style="list-style-type: none"> -1x FXS port (RJ-11) -1x LAN, 1x WAN -desktop -5x SIP account -G.711, G.729, G.723, G.726 -T.38 Fax -In-band/Out of band DTMF (RFC4733, RFC2833 / SIP INFO) -Auto provision -WAN funkcionalnosti, IPv4 -12V DC adapter -jamstvo 12mj 	42			
	<p>Welltech ATA-172 plus</p> <ul style="list-style-type: none"> -2x FXS port (RJ-11) -1x LAN, 1x WAN -desktop -5x SIP account -G.711, G.729, G.723, G.726 -T.38 Fax -In-band/Out of band DTMF (RFC4733, RFC2833 / SIP INFO) -Auto provision -WAN funkcionalnosti, IPv4 -12V DC adapter -jamstvo 12mj 	47			
	<p>Welltech WellGate 2504</p> <ul style="list-style-type: none"> -4x FXS port (RJ-11) -1x LAN, 1x WAN -desktop -4x SIP account -G.711, G.729A, G.723.1 -T.38 Fax -In-band/Out of band DTMF (RFC4733, RFC2833 / SIP INFO) -Auto HTTP provision -WAN funkcionalnosti, IPv4, IPv6 -dual firmware -12V DC adapter -jamstvo 12mj 	155			
	<p>Welltech WellGate 2808</p> <ul style="list-style-type: none"> -8x FXS port (RJ-11) -1x LAN, 1x WAN -desktop -4x SIP account -G.711, G.729A, G.723.1 -T.38 Fax -In-band/Out of band DTMF (RFC4733, RFC2833 / SIP INFO) -Auto HTTP provision -WAN funkcionalnosti, IPv4, IPv6 -dual firmware -12V DC adapter -jamstvo 12mj 	330			



	<p>Welltech WellGate 2424S</p> <ul style="list-style-type: none"> -24x FXS port (RJ-11) -1x LAN, 1x WAN, serijski port -19" rack -16x SIP account -G.711, G.729A, G.723.1, GSM-FR -T.38 Fax -In-band/Out of band DTMF (RFC4733, RFC2833 / SIP INFO) -Auto HTTP provision -WAN funkcionalnosti, IPv4, IPv6 -dual firmware -jamstvo 12mj 	788			
--	--	-----	--	--	--

IP portafon uređaji

	<p>Welltech LP803Aplus IP Door Phone</p> <ul style="list-style-type: none"> -1x FXS port (RJ-11) -1x LAN, 1x WAN -3.5mm audio priključak za mikrofonslušalice -LCD 64x18mm -zidna (nadžbukna) ili stolna montaža -snažan zvučnik -3x SIP account -G.711, G.729A, G.723.1, G.726 -DTMF ili dolazni poziv za aktivaciju NC/NO kontaktnih releja -2x terminala kontakt releja -Auto provision -WAN funkcionalnosti, IPv4 -PoE (802.3af) na WAN portu za napajanje uređaja -5V opcionalni priključak za napajanje -jamstvo 12mj 	82			
---	---	----	--	--	--

Dodaci za FXS gateway uređaje

	<p>24 port telefonski patch panel sa terminiranim telco kabelom, 2m</p> <ul style="list-style-type: none"> -19" rack -24x RJ-11 -telco kabel 2m -jedan kraj kabela termniran, jedan kraj slobodan 	53			
	<p>24 port telefonski patch panel sa terminiranim telco kabelom, 4m</p> <ul style="list-style-type: none"> -19" rack -24x RJ-11 -telco kabel 4m -jedan kraj kabela termniran, jedan kraj slobodan 	57			
	<p>24 port telefonski patch panel sa terminiranim telco kabelom, 6m</p> <ul style="list-style-type: none"> -19" rack -24x RJ-11 -telco kabel 6m -jedan kraj kabela termniran, jedan kraj slobodan 	62			
	<p>24 port telefonski patch panel sa terminiranim telco kabelom, 8m</p> <ul style="list-style-type: none"> -19" rack -24x RJ-11 -telco kabel 8m -jedan kraj kabela termniran, jedan kraj slobodan 	68			

	24 port telefonski patch panel sa terminiranim telco kablom, 10m -19" rack -24x RJ-11 -telco kabl 10m -jedan kraj kabela termniran, jedan kraj slobodan	73			
	Telefonski kabl, 1.8m -2x RJ11/12	3			

Plaćanje je u kunama prema srednjem tečaju HNB

Sve cijene su bez PDV-a

☐

Jamstvo na Welltech uređaje iznosi 12 mjeseca